

[illegible]

```
SSSSSSSS  CCCCCCCC  SSSSSSSS  LL      000000  AAAAAA
SSSSSSSS  CCCCCCCC  SSSSSSSS  LL      000000  AAAAAA
SS        CC        SS        LL      00      00  AA      AA
SS        CC        SS        LL      00      00  AA      AA
SS        CC        SS        LL      00      00  AA      AA
SSSSSSS   CC        SSSSSS   LL      00      00  AA      AA
SSSSSSS   CC        SSSSSS   LL      00      00  AA      AA
          CC        SS        LL      00      00  AAAAAAAAAA
          CC        SS        LL      00      00  AAAAAAAAAA
          CC        SS        LL      00      00  AA      AA
SSSSSSSS  CCCCCCCC  SSSSSSSS  LLLLLLLLLL 000000  AA      AA
SSSSSSSS  CCCCCCCC  SSSSSSSS  LLLLLLLLLL 000000  AA      AA
          ....
          ....
          ....
          ....

MM        MM        AAAAAA  PPPPPPPP
MM        MM        AAAAAA  PPPPPPPP
MMMM      MMMM      AA      AA  PP      PP
MMMM      MMMM      AA      AA  PP      PP
MM        MM        AA      AA  PP      PP
MM        MM        AA      AA  PP      PP
MM        MM        AA      AA  PPPPPPPP
MM        MM        AA      AA  PPPPPPPP
MM        MM        AAAAAAAAAA  PP
MM        MM        AAAAAAAAAA  PP
MM        MM        AA      AA  PP
MM        MM        AA      AA  PP
MM        MM        AA      AA  PP
MM        MM        AA      AA  PP
```

<u>Module Name</u>	<u>Ident</u>	<u>Bytes</u>	<u>File</u>	<u>Creation Date</u>	<u>Creator</u>
SCSLOA	V04-000	3408	_\$255\$DUA28:[SYSLOA.OBJ]SYSLOA.OLB;1	16-SEP-1984 00:19	VAX/VMS Macro V04-00
SYS	V04-000	0	_\$255\$DUA28:[SYSOBJ]SYS.STB;1	16-SEP-1984 04:00	VAX-11 Linker V04-00

Sy  
EX  
EX  
EX  
EX  
EX  
EX  
EX  
EX  
IN  
IN  
IN  
IN  
IO  
IO  
IO  
IO  
IO  
IO  
IO  
IO  
IO  
IO  
MA  
MA  
MA  
MB  
MM  
MM  
MM  
OP  
OP  
PA  
PA  
PF  
PM  
PM  
PM  
SC  
SG  
SY  
SY  
SY  
SY

! Image Section Synopsis !

Cluster	Type	Pages	Base Addr	Disk VBN	PFC	Protection and Paging	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0	7	00000000	2	0	READ ONLY				

Key for special characters above:

R - Relocatable  
P - Protected



-----  
! Program Section Synopsis !  
-----

<u>Psect Name</u>	<u>Module Name</u>	<u>Base</u>	<u>End</u>	<u>Length</u>	<u>Align</u>	<u>Attributes</u>
\$\$\$000	SCSLOA	00000000 00000000	00000D4F 00000D4F	00000D50 ( 00000D50 (	3408.) LONG 2 3408.) LONG 2	NOPIC,USR,CON,REL,LCL,NOSHR, EXE, RD, WRT,NOVEC

+-----+  
! Symbol Cross Reference !  
+-----+

Symbol	Value	Defined By	Referenced By ...
BUG\$ INVRSPID	000005C0	SYS	SCSLOA
COM\$DRVDEALMEM	8000E0F5	SYS	SCSLOA
EXE\$ALONONPAGED	8000A901	SYS	SCSLOA
EXE\$DEALLOCATE	8000AAAA	SYS	SCSLOA
EXE\$GL_NONPAGED	80002C10	SYS	SCSLOA
EXE\$GQ_SYSTIME	80002B40	SYS	SCSLOA
EXE\$GQ_TODCBASE	80003C00	SYS	SCSLOA
EXE\$INSTIMQ	80008A78	SYS	SCSLOA
EXE\$WRTMAILBOX	80001A76	SYS	SCSLOA
IOC\$VERIFYCHAN	80010823	SYS	SCSLOA
PR\$ IPL	00000012	SYS	SCSLOA
SCS\$ACCEPT	000002D6-R	SCSLOA	
SCS\$GA_DFLTMSK	800036E4	SYS	SCSLOA
SCS\$GA_EXISTS	800036E8	SYS	SCSLOA
SCS\$GA_LOCALSB	80000EF4	SYS	SCSLOA
SCS\$GL_CDL	800036CC	SYS	SCSLOA
SCS\$GL_PDT	800036E0	SYS	SCSLOA
SCS\$GL_RDT	800036D0	SYS	SCSLOA
SCS\$GQ_CONFIG	800036B0	SYS	SCSLOA
SCS\$GQ_DIRECT	800036B8	SYS	SCSLOA
SCS\$GQ_POLL	800036C0	SYS	SCSLOA
SCS\$GW_CDTCNT	80003D42	SYS	SCSLOA
SCS\$GW_CDTMAX	000002D4-R	SCSLOA	
SCS\$GW_NEXTBIT	800036E6	SYS	SCSLOA
SCS\$GW_PRCPOLINT	80003D5C	SYS	SCSLOA
SCS\$GW_RDTCNT	80003D44	SYS	SCSLOA
SCS\$K_CTEXT	00000064	SCSLOA	
SCS\$LISTEN	0000078A-R	SCSLOA	
SY\$K_VERSION	48513258	SYS	

## ! Symbols By Value !

Value
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

## Symbols...

```

00000012      PR$ IPL
00000064      SC$SK C$TEXT
000002D4      R-SC$SGW C$DTMAX
000002D6      R-SC$S$ACCEPT
000005C0      BUG$ INVRSPID
0000078A      R-SC$S$LISTEN
48513258      SY$SK VERSION
80000EF4      SC$SGA LOCALSB
80001A76      EXE$WRTMAILBOX
80002B40      EXE$GQ_ $SYTIME
80002C10      EXE$GL_ $NONPAGED
800036B0      SC$SGQ_ $CONFIG
800036B8      SC$SGQ_ $DIRECT
800036C0      SC$SGQ_ $POLL
800036CC      SC$SGL_ $CDL
800036D0      SC$SGL_ $RDT
800036E0      SC$SGL_ $PDT
800036E4      SC$SGA_ $DFLTMSK
800036E6      SC$SGW_ $NEXTBIT
800036E8      SC$SGA_ $EXISTS
80003C00      EXE$GQ_ $TODCBASE
80003D42      SC$SGW_ $CDT$CNT
80003D44      SC$SGW_ $RDT$CNT
80003D5C      SC$SGW_ $PRCPOLINT
80008A78      EXE$INSTIMQ
8000A901      EXE$SALONONPAGED
8000AAAA      EXE$DEALLOCATE
8000E0F5      COM$DRVDEALMEM
80010823      IOC$VERIFYCHAN

```

**Key for special characters above:**

```

! * - Undefined
! U - Universal
! R - Relocatable
! X - External
!

```



-----  
! Image Synopsis !  
-----

Virtual memory allocated: 00000000 00000DFF 00000E00 (3584. bytes, 7. pages)  
Stack size: 0. pages  
Image header virtual block limits: 1. ( 1. block)  
Image binary virtual block limits: 2. ( 7. blocks)  
Image name and identification: SCSLOA V04-000  
Number of files: 2.  
Number of modules: 2.  
Number of program sections: 4.  
Number of global symbols: 28.  
Number of cross references: 53.  
Number of image sections: 1.  
Image type: SYSTEM.  
Map format: FULL WITH CROSS REFERENCE in file \_\$255\$DUA28:[SYSLOA.LIS]SCSLOA.MAP;1  
Estimated map length: 19. blocks

-----  
! Link Run Statistics !  
-----

Performance Indicators	Page Faults	CPU Time	Elapsed Time
-----	-----	-----	-----
Command processing:	133	00:00:00.40	00:00:02.00
Pass 1:	75	00:00:00.92	00:00:08.30
Allocation/Relocation:	28	00:00:00.16	00:00:01.44
Pass 2:	34	00:00:00.33	00:00:01.73
Map data after object module synopsis:	21	00:00:00.27	00:00:00.28
Symbol table output:	1	00:00:00.02	00:00:00.34
Total run values:	292	00:00:02.10	00:00:14.09

Using a working set limited to 750 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 164  
of which 24 were in libraries and 2 were DEBUG data records containing 39 bytes

Number of modules extracted explicitly = 1  
with 0 extracted to resolve undefined symbols

0 library searches were for symbols not in the library searched

A total of 0 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/EXE=EXE\$:SCSLOA/SYSTEM=0/HEADER/CONTIGUOUS/MAP=MAP\$:SCSLOA/FULL/CROSS SYSS\$INPUT/OPTION  
LIB\$:SYSLOA/INCLUDE:(-  
SCSLOA),-  
EXSM:SYS.STB/SELECTIVE



0390 AH-BT13A-SE  
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION  
CONFIDENTIAL AND PROPRIETARY

